

# MOP

## Pink Granular



Appearance	Pink to rust-coloured granules		
Potassium chloride (KCl)	95% min		
– in terms of K <sub>2</sub> O	60% min		
– in terms of K	50.2%		
Sodium chloride (NaCl)	2.9%		
– in terms of Na	1.1%		
Magnesium (Mg)	0.01%		
Calcium (Ca)	0.16%		
Insolubles in water	0.5%		
Moisture	0.5% max		
Granulometric composition:			
Tyler Mesh	Standard, mm	Typical	Range
+5	+4	2.2%	10% max
-9	-2	3.1%	10% max
-16	-1	0.3%	2% max
-32	-0.5	0.2%	0.5% max
Size Guide Number (SGN)	288		
Uniformity Index (UI)	53		
Bulk density	1000 – 1062 kg/m <sup>3</sup>		
Angle of repose	27° – 36°		